

Technical Report No. 9/04, November 2004

ASYMPTOTIC RUIN PROBABILITIES OF THE RENEWAL
MODEL WITH CONSTANT INTEREST FORCE AND REGULAR
VARIATION

Qihe Tang

Asymptotic Ruin Probabilities of the Renewal Model with Constant Interest Force and Regular Variation

Qihe Tang

Department of Mathematics and Statistics

Concordia University

7141 Sherbrooke Street West, Montreal, Quebec, H4B 1R6, Canada

E-mail: qtang@mathstat.concordia.ca

September 2, 2004

Abstract

Klüppelberg and Stadtmüller (1998, *Scand. Actuar. J.*, no. 1, 49–58) obtained a simple asymptotic formula for the ruin probability of the classical model with constant interest force and regularly varying tailed claims. This short note extends their result to the renewal model. The proof is based on a result of Resnick and Willekens (1991, *Comm. Statist. Stochastic Models* 7, no. 4, 511–525).

Keywords: Asymptotics, regular variation, ruin probability, stochastic premiums.

1 The model

We investigate the ruin probability of the renewal model. In this model the claims, X_n , $n \geq 1$, form a sequence of independent, identically distributed (i.i.d.), and nonnegative random variables with common distribution function F , and the interarrival times, Y_n , $n \geq 1$, form another sequence of i.i.d. nonnegative random variables, which are independent of the random variables X_n , $n \geq 1$, and are not degenerate at 0. The locations of the successive claims, $\tau_n = \sum_{k=1}^n Y_k$, constitute a renewal counting process

$$N(t) = \#\{n \geq 1 : \tau_n \in [0, t]\}, \quad t \geq 0,$$

where, by convention, the cardinal number of the empty set is 0. Therefore, the total amount of claims accumulated up to time $t \geq 0$ is represented as a compound sum

$$S(t) = \sum_{n=1}^{N(t)} X_n, \quad t \geq 0,$$

with $S(t) = 0$ when $N(t) = 0$. Let $C(t)$, $t \geq 0$, be a nonnegative and nondecreasing stochastic process, denoting the total amount of premiums accumulated up to time $t \geq 0$, let $\delta > 0$ be the constant interest force (that is, after time t a capital x becomes $xe^{\delta t}$), and let $x \geq 0$ be the initial surplus of the insurance company. Then the total surplus up to time t , denoted by $U(t)$, satisfies the equation

$$U(t) = xe^{\delta t} + \int_{[0,t]} e^{\delta(t-y)} C(dy) - \int_{[0,t]} e^{\delta(t-y)} S(dy), \quad t \geq 0. \quad (1)$$

Assume that the total discounted amount of premiums is finite, that is,

$$\tilde{C} = \int_{[0,\infty)} e^{-\delta y} C(dy) < \infty \quad \text{almost surely.} \quad (2)$$

The ruin probability is defined by

$$\psi(x) = \Pr(U(t) < 0 \text{ for some } t \geq 0).$$

If $C(t) = Ct$, $t \geq 0$, with $C > 0$ a deterministic constant and $N(t)$, $t \geq 0$, is a Poisson process with intensity $\lambda > 0$, then the model above is reduced to the classical one.

The asymptotic behavior of the ruin probability of the classical model has been extensively investigated in the literature. In particular, Klüppelberg and Stadtmüller (1998) considered the asymptotic behavior of the ruin probability for the case of regularly varying tailed claims. We say that $\bar{F} = 1 - F$ is regularly varying with index $-\alpha < 0$, denoted by $F \in \mathcal{R}_{-\alpha}$, if there is some slowly varying function $L(\cdot)$ such that

$$\bar{F}(x) = x^{-\alpha} L(x), \quad x > 0.$$

For this case, Klüppelberg and Stadtmüller (1998, Corollary 2.4) proved that

$$\psi(x) \sim \frac{\lambda}{\alpha\delta} \bar{F}(x). \quad (3)$$

[Hereafter, all limit relationships are for $x \rightarrow \infty$ unless stated otherwise; for two positive functions $a(\cdot)$ and $b(\cdot)$, we write $a(x) \sim b(x)$ if $\lim a(x)/b(x) = 1$ and write $a(x) \gtrsim b(x)$ if $\liminf a(x)/b(x) \geq 1$.] In doing so, they applied a quite sophisticated L_p transform technique. However, their approach does not work now since in the current general case we can not obtain Sundt and Teugels' (1995) integral equation (2), which is the starting point of Klüppelberg and Stadtmüller (1998).

Furthermore, Asmussen (1998, Corollary 4.1(ii)), Kalashnikov and Konstantinides (2000), and Konstantinides et al. (2002) also obtained results similar to (3) for some larger classes of heavy-tailed distributions. We also refer the interested reader to Tang (2004) for some parallel discussions in a discrete time model.

2 An important preliminary

We denote a randomly weighted series by

$$W = \sum_{n=1}^{\infty} \theta_n X_n, \quad (4)$$

where $\{X_n, n \geq 1\}$ is a sequence of i.i.d. nonnegative random variables with common distribution function F , and $\{\theta_n, n \geq 1\}$ is another sequence of nonnegative random variables, independent of $\{X_n, n \geq 1\}$. The following result is the one-dimensional version of Theorem 2.1 of Resnick and Willekens (1991):

Lemma 1. *Consider the randomly weighted series (4) above with $F \in \mathcal{R}_{-\alpha}$ for some $\alpha > 0$. We have*

$$\Pr(W > x) \sim \bar{F}(x) \sum_{n=1}^{\infty} \mathbb{E} \theta_n^\alpha$$

if one of the following assumptions holds:

1. $0 < \alpha < 1$ and

$$\sum_{n=1}^{\infty} \mathbb{E} (\theta_n^{\alpha+\varepsilon} + \theta_n^{\alpha-\varepsilon}) < \infty \quad \text{for some } \varepsilon > 0;$$

2. $1 \leq \alpha < \infty$ and

$$\sum_{n=1}^{\infty} \mathbb{E} (\theta_n^{\alpha+\varepsilon} + \theta_n^{\alpha-\varepsilon})^{\frac{1}{\alpha+\varepsilon}} < \infty \quad \text{for some } \varepsilon > 0.$$

The merit of this lemma is that no information about the dependence structure of the sequence $\{\theta_n, n \geq 1\}$ is requested.

3 The main result

Theorem 1. *Consider the renewal model introduced in Section 1 with $F \in \mathcal{R}_{-\alpha}$ for some $\alpha > 0$. We have*

$$\psi(x) \sim \frac{\mathbb{E} e^{-\delta\alpha Y_1}}{1 - \mathbb{E} e^{-\delta\alpha Y_1}} \bar{F}(x) \quad (5)$$

if one of the following assumptions holds:

1. the premium process $\{C(t), t \geq 0\}$ is independent of $\{X_n, n \geq 1\}$ and $\{Y_n, n \geq 1\}$;
2. the total discounted amount of premiums, defined by (2), satisfies that

$$\Pr(\tilde{C} > x) = o(\bar{F}(x)).$$

Remark. Comparing (5) with (3), we have successfully extended the result of Klüppelberg and Stadtmüller (1998) to the renewal model. Assumption 1 above has been used by Glukhova and Kapustin (2001) and Boikov (2002), while assumption 2, which does not require the independence between the premium process and the claim process, allows for a more realistic case that the premium rate varies as a deterministic or stochastic function of the current surplus, as that considered by Petersen (1989), Michaud (1996), and Jasiulewicz (2001).

Proof of Theorem 1. We define the discounted values of the surplus process (1) as

$$\tilde{U}(t) = e^{-\delta t}U(t) = x + \int_{[0,t]} e^{-\delta y}C(dy) - \sum_{n=1}^{\infty} X_n e^{-\delta \tau_n} 1_{(\tau_n \leq t)}, \quad t \geq 0,$$

where 1_A denotes the indicator function of an event A . It is clear that

$$\psi(x) = \Pr\left(\tilde{U}(t) < 0 \text{ for some } t \geq 0\right)$$

and that

$$x - \sum_{n=1}^{\infty} X_n e^{-\delta \tau_n} \leq \tilde{U}(t) \leq x + \tilde{C} - \sum_{n=1}^{\infty} X_n e^{-\delta \tau_n} 1_{(\tau_n \leq t)}, \quad t \geq 0. \quad (6)$$

Using the first inequality of (6) and Lemma 1, we have

$$\psi(x) \leq \Pr\left(\sum_{n=1}^{\infty} X_n e^{-\delta \tau_n} > x\right) \sim \bar{F}(x) \sum_{n=1}^{\infty} \mathbb{E}e^{-\delta \alpha \tau_n} = \frac{\mathbb{E}e^{-\delta \alpha Y_1}}{1 - \mathbb{E}e^{-\delta \alpha Y_1}} \bar{F}(x).$$

Thus, in order to complete the proof of Theorem 1 it suffices to prove that

$$\psi(x) \gtrsim \frac{\mathbb{E}e^{-\delta \alpha Y_1}}{1 - \mathbb{E}e^{-\delta \alpha Y_1}} \bar{F}(x). \quad (7)$$

For this purpose, by the second inequality of (6) we derive

$$\begin{aligned} \psi(x) &\geq \Pr\left(\sum_{n=1}^{\infty} X_n e^{-\delta \tau_n} 1_{(\tau_n \leq t)} > x + \tilde{C} \text{ for some } t \geq 0\right) \\ &= \Pr\left(\sum_{n=1}^{\infty} X_n e^{-\delta \tau_n} > x + \tilde{C}\right). \end{aligned} \quad (8)$$

Under assumption 1 of Theorem 1, by conditioning on \tilde{C} and applying Fatou's lemma and

Lemma 1 in turn, we obtain

$$\begin{aligned}
\liminf_{x \rightarrow \infty} \frac{\psi(x)}{\bar{F}(x)} &\geq \liminf_{x \rightarrow \infty} \frac{1}{\bar{F}(x)} \int_{[0, \infty)} \Pr \left(\sum_{n=1}^{\infty} X_n e^{-\delta \tau_n} > x + y \right) \Pr \left(\tilde{C} \in dy \right) \\
&\geq \int_{[0, \infty)} \liminf_{x \rightarrow \infty} \frac{\Pr \left(\sum_{n=1}^{\infty} X_n e^{-\delta \tau_n} > x + y \right) \bar{F}(x + y)}{\bar{F}(x + y) \bar{F}(x)} \Pr \left(\tilde{C} \in dy \right) \\
&= \frac{\mathbb{E} e^{-\delta \alpha Y_1}}{1 - \mathbb{E} e^{-\delta \alpha Y_1}}.
\end{aligned}$$

Hence, relation (7) holds. Under assumption 2 of Theorem 1, from (8) we have that for an arbitrarily fixed number $l > 0$,

$$\psi(x) \geq \Pr \left(\sum_{n=1}^{\infty} X_n e^{-\delta \tau_n} > (1 + l)x \right) - \Pr \left(\tilde{C} > lx \right).$$

Then, applying Lemma 1 again,

$$\begin{aligned}
\liminf_{x \rightarrow \infty} \frac{\psi(x)}{\bar{F}(x)} &\geq \liminf_{x \rightarrow \infty} \frac{1}{\bar{F}(x)} \Pr \left(\sum_{n=1}^{\infty} X_n e^{-\delta \tau_n} > (1 + l)x \right) - \limsup_{x \rightarrow \infty} \frac{\Pr \left(\tilde{C} > lx \right)}{\bar{F}(x)} \\
&= \frac{\mathbb{E} e^{-\delta \alpha Y_1}}{1 - \mathbb{E} e^{-\delta \alpha Y_1}} \liminf_{x \rightarrow \infty} \frac{\bar{F}((1 + l)x)}{\bar{F}(x)} - \limsup_{x \rightarrow \infty} \frac{\Pr \left(\tilde{C} > lx \right) \bar{F}(lx)}{\bar{F}(lx) \bar{F}(x)} \\
&= \frac{\mathbb{E} e^{-\delta \alpha Y_1}}{1 - \mathbb{E} e^{-\delta \alpha Y_1}} (1 + l)^{-\alpha}.
\end{aligned}$$

Hence, relation (7) also holds since the number l above can be arbitrarily close to 0. \square

Acknowledgments. I would like to express my gratitude to an anonymous referee for his/her critical comments and to Prof. Sidney Resnick for sending me his paper Resnick and Willekens (1991).

References

- [1] Asmussen, S. Subexponential asymptotics for stochastic processes: extremal behavior, stationary distributions and first passage probabilities. *Ann. Appl. Probab.* 8 (1998), no. 2, 354–374.
- [2] Boikov, A. V. The Cramér-Lundberg model with stochastic premiums. (Russian) *Teor. Veroyatnost. i Primenen.* 47 (2002), no. 3, 549–553; translation in *Theor. Probability Appl.* 47 (2002), no. 3, 489–493.

- [3] Glukhova, E. V.; Kapustin, E. V. Computation of the probability of the survival of an insurance company taking into account the rate of return in a Poisson stream of premiums. (Russian) *Izv. Vyssh. Uchebn. Zaved. Fiz.* 44 (2001), no. 6, 7–12; translation in *Russian Phys. J.* 44 (2001), no. 6, 569–576.
- [4] Jasiulewicz, H. Probability of ruin with variable premium rate in a Markovian environment. *Insurance Math. Econom.* 29 (2001), no. 2, 291–296.
- [5] Kalashnikov, V.; Konstantinides, D. Ruin under interest force and subexponential claims: a simple treatment. *Insurance Math. Econom.* 27 (2000), no. 1, 145–149.
- [6] Klüppelberg, C.; Stadtmüller, U. Ruin probabilities in the presence of heavy-tails and interest rates. *Scand. Actuar. J.* (1998), no. 1, 49–58.
- [7] Konstantinides, D.; Tang, Q.; Tsitsiashvili, G. Estimates for the ruin probability in the classical risk model with constant interest force in the presence of heavy tails. *Insurance Math. Econom.* 31 (2002), no. 3, 447–460.
- [8] Michaud, F. Estimating the probability of ruin for variable premiums by simulation. *Astin Bull.* 26 (1996), no. 1, 93–105.
- [9] Petersen, S. S. Calculation of ruin probabilities when the premium depends on the current reserve. *Scand. Actuar. J.* (1989), no. 3, 147–159.
- [10] Resnick, S. I.; Willekens, E. Moving averages with random coefficients and random coefficient autoregressive models. *Comm. Statist. Stochastic Models* 7 (1991), no. 4, 511–525.
- [11] Sundt, B.; Teugels, J. L. Ruin estimates under interest force. *Insurance Math. Econom.* 16 (1995), no. 1, 7–22.
- [12] Tang, Q. The ruin probability of a discrete time risk model under constant interest rate with heavy tails. *Scand. Actuar. J.* (2004), no. 3, 229–240.

List of Recent Technical Reports

46. M. L. Filshinsky, R. Rodríguez-Ramos and O. Sanchez-Casals, *Fracture Mechanics in Piezoceramic Composite Plate*, June 2000
47. F. Lebon, R. Rodríguez-Ramos and A. Mesejo, *Homogenization and Wavelet-Galerkin Method for a Nonlinear One-dimensional Problem*, June 2000
48. L. Yang, *The Impact of Mortality Improvement on Social Security*, August 2000
49. Rodrigo Arias López and José Garrido, *Bounds and Other Properties of the Inverse, Moments of a Positive Binomial Variate*, September 2000
50. B. N. Dimitrov, Z. Khalil, M. E. Ghitany and V. V. Rykov, *Likelihood Ratio Test for Almost Lack of Memory Distributions*, November 2001
51. Yogendra P. Chaubey and Anthony Crisalli, *The Generalized Smoothing Estimator*, April 2002
52. Yogendra P. Chaubey and Pranab K. Sen, *Smooth Isotonic Estimation of Density, Hazard and MRL Functions*, April 2002
53. Pablo Olivares, *Maximum Likelihood Estimators for a Branching-Diffusion Process*, August 2002
54. Shuanming Li and José Garrido, *On Ruin for the Erlang(n) Risk Process*, June 2003
55. G. Jogesh Babu and Yogendra P. Chaubey, *Smooth Estimation of a Distribution and Density function on a Hypercube Using Bernstein Polynomials for Dependent Random Vectors*, August 2003
56. Shuanming Li and José Garrido, *On the Time Value of Ruin for a Sparre Anderson Risk Process Perturbed by Diffusion*, November 2003
57. Yogendra P. Chaubey, Cynthia M. DeSouza and Fassil Nebebe, *Bayesian Inference for Small Area Estimation under the Inverse Gaussian Model via Gibbs Sampling*, December 2003

58. Alexander Melnikov and Victoria Skornyakova, *Pricing of Equity-Linked Life Insurance Contracts with Flexible Guarantees*, May 2004
59. Yi Lu and José Garrido, *Regime-Switching Periodic Models for Claim Counts*, June 2004.
60. I. Urrutia-Romaní, R. Rodríguez-Ramos, J. Bravo-Castillero and R. Guinovart-Díaz, *Asymptotic Homogenization Method Applied to Linear Viscoelastic Composites. Examples*, August 2004.
61. Yi Lu and José Garrido, *Double Periodic Non-Homogeneous Poisson Models for Hurricanes Data*, September 2004.
62. M.I. Beg and M. Ahsanullah, *On Characterizing Distributions by Conditional Expectations of Functions of Generalized Order Statistics*, September, 2004.
63. M.I. Beg and M. Ahsanullah, *Concomitants of Generalized Order Statistics from Farlie-Gumbel-Morgenstern Distributions*, September, 2004.
64. Yogendra P. Chaubey and Debaraj Sen, *An investigation into properties of an estimator of mean of an inverse Gaussian population*, September, 2004.
65. Steven N. Evans and Xiaowen Zhou, *Balls-in-boxes duality for coalescing random walks and coalescing Brownian motions*, September, 2004.
66. Qihe Tang, *Asymptotic ruin probabilities of the renewal model with constant interest force and regular variation*, November, 2004.

Copies of technical reports can be requested from:

Prof. Xiaowen Zhou
Department of Mathematics and Statistics
Concordia University
7141, Sherbrooke Street West
Montréal (QC) H4B 1R6 CANADA